

AGGRESSIVE SIDEWALL AND OPEN TREAD BLOCK DESIGN

- Delivers tough looks and even tougher performance in dirt, mud, or snow, while maintaining a quiet ride.

OPEN COUNTRY A/T II

LIGHT TRUCK / SUV / CUV

LT

WEAR-RESISTANT TREAD COMPOUND

- Extends tread life and durability.

DEEP TREAD GROOVES WITH STONE-EJECTING BLOCKS

- Enhances mud and snow traction.
- Forces stones from grooves.

TIE BARS BETWEEN BLOCKS

- Stabilizes tread blocks.
- Improves dry braking.
- Reduces irregular wear.

POLYGONAL BLOCKS AND ZIGZAG SIPES

- Contributes to excellent snow performance.

500 MILE TRIAL OFFER*



*See toyotires.com for details.

For the latest tire information, please visit toyotires.com. **TOYO TIRES®**

OPEN COUNTRY® A/T II

LT

LIGHT TRUCK / SUV / CUV

WHEEL DIA.	TIRE SIZE	LOAD/SPEED	LOAD ID	CONSTRUCTION	SIDEWALL	PRODUCT CODE	APPROVED RIM WIDTH RANGE (IN.)	WEIGHT (LBS)	TREAD DEPTH (1/32")	OVERALL DIA. (IN.)†	OVERALL WIDTH (IN.)†	MAX LOAD (LBS) SINGLE	MAX LOAD (LBS) DUAL	MAX PRESSURE (PSI)	REVS PER MILE	
15	P215/75R15	100S	SL		OWL	352380	5.5-(6.0)-7.0	26	12.5	27.7	8.5	1742	-	44	751	
	P225/75R15	102S	SL		OWL	352370	(6.0) -7.5	28	12.6	28.3	8.8	1874	-	44	734	
	P235/75R15	108S	XL		OWL	352400	6.0-(6.5)-8.0	34	12.7	28.9	9.3	2183	-	50	720	
	LT235/75R15	104/101S	C		OWL	352680	6.0-(6.5)-7.0	34	15.6	28.9	9.3	1985	1820	50	720	
	P265/75R15	112S	SL		OWL	352390	7.0-(7.5)-9.0	39	13.1	30.7	10.5	2469	-	44	677	
	30X9.50R15LT	104S	C		OWL	352690	6.5-(7.5)-8.5	37	15.6	29.5	9.4	1985	-	50	704	
	31X10.50R15LT	109S	C		OWL	352700	7.0-(8.5)-9.0	40	16.0	30.5	10.6	2270	-	50	681	
16	P215/70R16	99S	SL		BSW	352330	5.5-(6.5)-7.0	27	12.5	27.9	8.7	1709	-	44	745	
	LT215/85R16	115/112Q	E		BSW	352670	5.5-(6.0)-7.0	41	15.4	30.4	8.5	2680	2470	80	683	
	P225/70R16	101T	SL		BSW	352340	6.0-(6.5)-7.5	28	12.6	28.4	9	1819	-	44	731	
	P225/70R16	101T	SL		OWL	352350	6.0-(6.5)-7.5	29	12.6	28.4	9	1819	-	44	731	
	P225/75R16	104S	SL		BSW	352360	(6.0) -7.5	31	12.6	29.3	8.8	1984	-	44	709	
	LT225/75R16	115/112Q	E		BSW	352650	(6.0) -7.0	38	15.5	29.3	8.8	2680	2470	80	709	
	P235/70R16	104T	SL		BSW	352270	6.0-(7.0)-8.0	31	12.8	29	9.4	1984	-	44	717	
	P235/70R16	104T	SL		OWL	352280	6.0-(7.0)-8.0	29	12.7	29	9.4	1984	-	44	717	
	LT235/85R16	120/116R	E		BSW	352660	6.0-(6.5)-7.5	43	15.6	31.7	9.3	3042	2778	80	655	
	P245/70R16	106S	SL		BSW	352100	6.5-(7.0)-8.0	36	12.9	29.5	9.8	2094	-	44	704	
	P245/70R16	106S	SL		OWL	352110	6.5-(7.0)-8.0	34	12.9	29.5	9.8	2094	-	44	704	
	P245/75R16	109S	SL		BSW	352120	6.5-(7.0)-8.0	34	12.9	30.5	9.8	2271	-	44	682	
	P245/75R16	109S	SL		OWL	352130	6.5-(7.0)-8.0	34	12.9	30.5	9.8	2271	-	44	682	
	LT245/75R16	108/104S	C		BSW	352550	6.5-(7.0)-8.0	45	15.7	30.5	9.8	2205	2006	50	682	
	LT245/75R16	108/104S	C		OWL	352560	6.5-(7.0)-8.0	43	15.7	30.5	9.8	2205	2006	50	682	
	LT245/75R16	120/116S	E		BSW	352530	6.5-(7.0)-8.0	45	15.7	30.5	9.8	3042	2778	80	682	
	LT245/75R16	120/116S	E		OWL	352540	6.5-(7.0)-8.0	44	15.7	30.5	9.8	3042	2778	80	682	
	255/65R16	109H	SL		BSW	352140	7.0-(7.5)-9.0	38	12.7	29.1	10.2	2271	-	51	715	
	P255/70R16	109S	SL		BSW	352310	6.5-(7.5)-8.5	38	13.0	30.1	10.2	2271	-	44	691	
	P255/70R16	109S	SL		OWL	352320	6.5-(7.5)-8.5	38	13.0	30.1	10.2	2271	-	44	691	
	P265/70R16	111T	SL		BSW	352080	7.0-(8.0)-9.0	40	13.1	30.6	10.8	2403	-	44	679	
	P265/70R16	111T	SL		OWL	352090	7.0-(8.0)-9.0	40	13.1	30.6	10.7	2403	-	44	678	
	P265/75R16	114T	SL		BSW	352290	7.0-(7.5)-9.0	41	13.1	31.7	10.5	2601	-	44	656	
	P265/75R16	114T	SL		OWL	352300	7.0-(7.5)-9.0	41	13.1	31.7	10.5	2601	-	44	656	
	LT265/75R16	112/109T	C		BSW	352610	7.0-(7.5)-8.0	44	16.0	31.7	10.5	2470	2270	50	656	
	LT265/75R16	112/109T	C		OWL	352620	7.0-(7.5)-8.0	45	16.0	31.7	10.5	2470	2270	50	656	
	LT265/75R16	123/120R	E		BSW	352590	7.0-(7.5)-8.0	48	16.0	31.7	10.5	3415	3085	80	656	
	LT265/75R16	123/120R	E		OWL	352600	7.0-(7.5)-8.0	47	16.0	31.7	10.5	3415	3085	80	656	
	LT285/75R16	126/123R	E		BSW	352630	7.5-(8.0)-9.0	54	16.5	32.8	11.3	3750	3415	80	633	
	LT285/75R16	126/123R	E		OWL	352640	7.5-(8.0)-9.0	53	16.5	32.8	11.3	3750	3415	80	633	
	LT295/75R16	128R	E	XT		BSW	352820	7.5-(8.0)-9.5	64	17.1	33.4	11.6	3970	-	80	622
	LT305/70R16	124/121R	E	XT		BSW	352750	8.0-(9.0)-9.5	68	17.3	32.8	12.2	3525	3195	65	633
	LT315/75R16	127/124R	E	XT		BSW	352770	8.0-(8.5)-11.0	72	17.4	34.6	12.3	3860	3525	65	601
17	225/65R17	102H	SL		BSW	352960	6.0-(6.5)-8.0	30	12.5	28.5	9	1874	-	51	729	
	P235/65R17	103H	SL		BSW	352050	6.5-(7.0)-8.5	34	12.5	29.1	9.4	1929	-	51	715	
	P235/75R17	108S	SL		BSW	352260	6.0-(6.5)-8.0	39	12.7	30.9	9.3	2205	-	44	673	
	LT235/80R17	120/117R	E		BSW	352470	6.0-(6.5)-7.5	44	15.6	31.8	9.3	3085	2835	80	653	
	P245/65R17	105T	SL		BSW	352020	(7.0) -8.5	36	12.6	29.4	9.8	2039	-	44	705	
	P245/65R17	105T	SL		OWL	352030	(7.0) -8.5	33	12.6	29.5	9.8	2039	-	44	704	
	P245/70R17	108S	SL		BSW	352160	6.5-(7.0)-8.0	38	12.9	30.6	9.8	2205	-	44	680	
	LT245/70R17	119/116R	E		BSW	352570	6.5-(7.0)-8.0	46	15.7	30.6	9.8	3000	2755	80	680	
	LT245/75R17	121/118S	E		BSW	352520	6.5-(7.0)-7.5	46	15.7	31.5	9.8	3195	2910	80	660	
	P255/70R17	110S	SL		BSW	352230	6.5-(7.5)-8.5	42	13.0	31.1	10.2	2337	-	44	668	
	LT255/80R17	121/118R	E		BSW	353080	6.5-(7.0)-8.5	51	15.9	33.1	10	3195	2910	80	628	
	P265/65R17	110T	SL		BSW	352040	7.5-(8.0)-9.5	39	12.9	30.5	10.8	2337	-	44	681	
	P265/70R17	113S	SL		BSW	352000	7.0-(8.0)-9.0	41	13.1	31.5	10.7	2535	-	44	659	
	P265/70R17	113S	SL		OWL	352010	7.0-(8.0)-9.0	41	13.1	31.5	10.7	2535	-	44	659	
	LT265/70R17	121/118S	E		BSW	352410	7.0-(8.0)-8.5	49	16.0	31.7	10.7	3195	2910	80	656	

Speed rated "0" = 99mph, "R" = 106mph, "S" = 112mph, "T" = 118mph, "H" = 130mph. "SL" = Standard Load, "XL" = Extra Load, "C" = 6-ply rating, "E" = 10-ply rating, "F" = 12-ply rating, "TD" = Tuff Duty, "XT" = Xtreme, "BSW" = Black Sidewall, "OWL" = Outline White Lettering. Bold designates measuring rim width. *Inflated dimensions.

SPECIFICATIONS

WHEEL DIA.	TIRE SIZE	LOAD/SPEED	LOAD ID	CONSTRUCTION	SIDEWALL	PRODUCT CODE	APPROVED RM WIDTH RANGE (IN.)	WEIGHT (LBS)	TREAD DEPTH (1/32")	OVERALL DIA. (IN.)*	OVERALL WIDTH (IN.)*	MAX LOAD (LBS) SINGLE	MAX LOAD (LBS) DUAL	MAX PRESSURE (PSI)	REVS PER MILE
17	LT265/70R17	121/118S	E		OWL	352420	7.0-(8.0)-8.5	49	16.0	31.7	10.7	3195	2910	80	656
	P285/70R17	117T	SL		BSW	352150	7.5-(8.5)-9.5	48	13.4	32.8	11.5	2833	-	44	634
	LT285/70R17	121/118S	E		BSW	352430	7.5-(8.5)-9.0	56	16.3	32.8	11.5	3195	2910	80	634
	LT285/70R17	121/118S	E		OWL	352440	7.5-(8.5)-9.0	51	16.3	32.8	11.5	3195	2910	80	634
	LT285/75R17	121/118S	E	XT	BSW	352790	7.5-(8.0)-9.5	63	17.0	33.9	11.3	3195	2910	80	614
	LT305/70R17	121/118R	E	XT	BSW	351170	8.0-(9.0)-9.5	64	17.3	33.9	12.2	3195	2910	65	614
	35X12.50R17LT	121R	E	XT	BSW	352810	8.5-(10.0)-11.0	70	17.4	34.5	12.5	3195	-	65	602
18	255/55R18	109H	XL		BSW	352220	7.0-(8.0)-9.0	38	12.7	29	10.4	2271	-	50	716
	LT255/65R18	120/117S	E		BSW	353100	7.0-(7.5)-9.0	44	15.9	31.1	10.2	3085	2835	80	669
	P255/70R18	112T	SL		BSW	352250	6.5-(7.5)-8.5	45	13.0	32.1	10.2	2469	-	44	647
	P265/60R18	109T	SL		BSW	352240	7.5-(8.0)-9.5	41	12.9	30.5	10.7	2271	-	44	681
	P265/65R18	112S	SL		BSW	352200	7.5-(8.0)-9.5	44	12.9	31.5	10.7	2469	-	44	659
	P265/70R18	114S	SL		BSW	352180	7.0-(8.0)-9.0	50	13.1	32.6	10.7	2601	-	44	636
	P275/65R18	114T	SL		BSW	352070	7.5-(8.0)-9.5	51	13.0	32.1	11	2601	-	44	647
	LT275/65R18	113/110T	C		BSW	352500	7.5-(8.0)-9.0	53	16.0	32.1	11	2535	2335	50	647
	LT275/65R18	113/110T	C		OWL	352510	7.5-(8.0)-9.0	50	16.0	32.1	11	2535	2335	50	647
	LT275/65R18	123/120S	E		BSW	352480	7.5-(8.0)-9.0	53	16.0	32.1	11	3415	3085	80	647
	LT275/65R18	123/120S	E		OWL	352490	7.5-(8.0)-9.0	50	16.0	32.1	11	3415	3085	80	647
	LT275/70R18	125/122S	E		BSW	352450	7.0-(8.0)-8.5	53	16.1	33.2	11	3640	3305	80	626
	LT275/70R18	125/122S	E		OWL	352460	7.0-(8.0)-8.5	51	16.1	33.2	11	3640	3305	80	626
	285/60R18	120S	XL		BSW	352190	8.0-(8.5)-10.0	54	13.6	31.5	11.5	3086	-	50	660
	LT285/65R18	125/122S	E	XT	BSW	352720	8.0-(8.5)-10.0	58	16.9	32.6	11.5	3640	3305	80	638
	LT285/75R18	129/126S	E	XT	BSW	352780	7.5-(8.0)-9.5	65	17.0	34.8	11.3	4080	3750	80	596
	LT295/70R18	129/126S	E	XT	BSW	352850	7.5-(8.5)-10.0	64	16.3	34.3	11.8	4080	3750	80	606
	LT325/60R18	124/121S	E	XT	BSW	352760	9.0-(9.5)-12.0	66	16.8	33.3	13	3525	3195	65	623
	LT325/65R18	127/124R	E	XT	BSW	351190	9.0-(9.5)-12.0	71	17.4	34.6	13	3860	3525	65	600
	33X12.50R18LT	122Q	F	XT	BSW	353020	8.5-(10.0)-11.0	65	17.0	32.5	12.5	3305	-	80	639
	35X12.50R18LT	123R	E	XT	BSW	352710	8.5-(10.0)-11.0	68	17.0	34.5	12.5	3415	-	65	602
35X12.50R18LT	128Q	F	XT	BSW	351490	8.5-(10.0)-11.0	68	17.0	34.5	12.5	3970	-	80	602	
20	P245/60R20	107T	SL		BSW	353060	(7.0)-8.5	32	12.6	31.6	9.8	2149	-	44	658
	265/50R20	111T	SL		BSW	351320	7.5-(8.5)-9.5	42	13.4	30.5	10.9	2403	-	50	682
	LT265/60R20	121/118S	E		BSW	353070	7.5-(8.0)-9.5	54	16.0	32.5	10.7	3195	2910	80	639
	275/55R20	117T	SL		BSW	353010	7.5-(8.5)-9.5	49	13.0	31.9	11.2	2833	-	50	651
	P275/60R20	114T	SL		BSW	352060	7.5-(8.0)-9.5	43	13.0	33	10.9	2601	-	44	630
	LT275/65R20	126/123S	E		BSW	352580	7.5-(8.0)-9.5	57	16.0	34.1	11	3750	3415	80	609
	LT285/55R20	122/119S	E	XT	BSW	352800	8.0-(9.0)-10.0	59	16.0	32.4	11.7	3305	3000	80	642
	LT285/60R20	125/122R	E	XT	BSW	353110	8.0-(8.5)-10.0	59	16.3	33.5	11.5	3640	3305	80	621
	LT295/55R20	123/120S	E	XT	BSW	352880	8.0-(9.5)-10.0	61	16.3	32.8	12.2	3415	3085	80	634
	LT295/60R20	126/123S	E	XT	BSW	352860	8.0-(8.5)-10.0	62	16.4	33.9	11.8	3750	3415	80	612
	LT295/65R20	129/126S	E	XT	BSW	352870	8.0-(8.5)-10.0	64	17.0	35.1	11.8	4080	3750	80	592
	P285/55R20	114T	SL		BSW	221300	8.0-(9.0)-10.0	46	13.1	32.4	11.7	2601	-	44	642
	305/50R20	120T	XL		BSW	350740	8.5-(9.5)-11.0	51	13.9	32	12.4	3086	-	50	648
	LT305/55R20	121/118S	E	XT	BSW	352740	8.5-(9.5)-11.0	62	16.3	33.2	12.4	3195	2910	65	625
	LT305/55R20	125/122Q	F	XT	BSW	351500	8.5-(9.5)-11.0	66	16.3	33.2	12.4	3640	3305	80	625
	LT325/60R20	126/123R	E	XT	BSW	351180	9.0-(9.5)-12.0	71	16.8	35.4	13	3750	3415	65	588
	33X12.50R20LT	119Q	F	XT	BSW	353030	8.5-(10.0)-11.0	64	16.8	32.5	12.5	3000	-	80	639
	35X12.50R20LT	121R	E	XT	BSW	352730	8.5-(10.0)-11.0	66	16.8	34.5	12.5	3195	-	65	602
	35X12.50R20LT	125Q	F	XT	BSW	351510	8.5-(10.0)-11.0	69	16.9	34.5	12.5	3640	-	80	602
	35X13.50R20LT	126Q	F	XT	BSW	353090	9.5-(11.0)-12.0	79	16.5	34.5	13.6	3750	-	80	602
	22	285/45R22	114H	SL		BSW	221310	9.0-(9.5)-10.5	43	17.0	34.8	13.2	3305	-	65
LT325/50R22		122R	E	XT	BSW	352830	9.0-(10.0)-12.0	69	17.0	34.8	13.2	3305	-	65	596
33X12.50R22LT		114Q	F	XT	BSW	353040	8.5-(10.0)-11.0	58	15.6	32.5	12.5	2600	-	80	639
35X12.50R22LT		121Q	F	XT	BSW	353050	8.5-(10.0)-11.0	67	16.4	34.5	12.5	3195	-	80	602
37X12.50R22LT		127Q	F	XT	BSW	353120	9.0-(10.0)-11.5	73	16.8	36.5	12.5	3860	-	80	569

LIGHT TRUCK / SUV / CUV

LT