

**MICHELIN<sup>®</sup>**

**ROAD HAZARD  
GUARANTEE**



**MICHELIN**

**EXCLUSIVE OFFER**

# REDUCE YOUR RISKS



Michelin stands behind its on/off-road products—providing unsurpassed durability against road hazards and the uptime fleets demand. With the MICHELIN® Road Hazard Guarantee, Michelin will credit you 50% of your acquisition price per tire if the tire is taken out of service (not repairable or retreadable) in the first six months or before 50% of its useable tread life—whichever comes first.<sup>(1)</sup> It's just our way of helping you experience breakthrough performance and durability without the risk.

## ELIGIBLE TIRES

### ALL-POSITION

#### X® WORKS Z

Our toughest all-position, on/off-road tire just got tougher.<sup>(2)</sup> With a 50% wider protector ply vs. leading competitive tires<sup>(3)</sup> and 5% more removal miles vs. the MICHELIN® XZY® 3 tire it replaces, this tire provides unsurpassed durability against road hazards—guaranteed.

Sizes	Load Range	Tread Depth	MSPN
11R22.5	H	24	15701
12R22.5	H	24	11073
315/80R22.5	L	23	64204
11R24.5	H	24	78261



### DRIVE POSITION

#### X® WORKS D

The next generation on/off road drive tire optimized for exceptional traction, toughness and wear performance in mixed and aggressive applications.

Sizes	Load Range	Tread Depth	MSPN
11R22.5	H	30	10423
11R24.5	H	30	62703

← Directional tread



### DRIVE POSITION

#### X® WORKS GRIP D

Our most aggressive drive axle tire is made specifically for energy and logging fleets operating in extreme conditions. Designed with safety in mind, using real feedback from real drivers, the MICHELIN® X® Works Grip D has exceptional traction to help keep you on the road.

Sizes	Load Range	Tread Depth	MSPN
11R24.5	H	32	51503



- (1) Contact your local Michelin representative for details. Michelin reserves the right to modify or discontinue this program at any time for any reason without prior notice.
- (2) Results based on three small-scale internal field tests using customer fleet vehicles vs. MICHELIN® XZY® 3 tire in size 11R24.5 LRH. Actual results may vary.
- (3) Protector ply width & cushion gum thickness compared to Bridgestone® M843 & M853, and Goodyear® G751™ MSA DuraSeal in size 11R22.5 LRH.

## ALL-POSITION

### **X ONE® XZY®3**

All-position wide base single designed for significant weight and fuel savings<sup>(1)</sup> in on/off road applications.

Sizes	Load Range	Tread Depth	MSPN
455/55R22.5	M	23	11629

(1) Based on industry standard rolling resistance testing of comparable tires and retreads. Actual results may vary, and may be impacted by many factors, to include road conditions, weather and environment, driver performance, etc.



## ALL-POSITION

### **XZY®3 WIDE BASE**

Exceptional all-position wide base radial designed for heavy front axle mixed service in on/off road applications.

Sizes	Load Range	Tread Depth	MSPN
385/65R22.5	J	22	53779
425/65R22.5	L	23	40321
445/65R22.5	L	23	83691



## TRAILER POSITION

### **XTY® 2**

Low profile radial designed for rugged, mixed trailer service in on/off road applications.

Sizes	Load Range	Tread Depth	MSPN
275/70R22.5	J	21	01658



## DRIVE POSITION

### **X® WORKS XDY®**

Next generation on/off road drive tire optimized for exceptional traction and wear in mixed and severe service for on/off road applications.

← Directional tread

Sizes	Load Range	Tread Depth	MSPN
11R22.5	H	30	89725
315/80R22.5 <sup>(1)</sup>	L	28	55576
11R24.5	H	30	90022



To learn more please contact your Michelin Sales Representative or visit

[www.business.michelinman.com](http://www.business.michelinman.com)

To order more brochures, please call Promotional Fulfillment Center  
1-800-859-0665 Monday through Friday, 8 a.m. to 6 p.m. Eastern Time

**United States**

**Michelin North America, Inc.**

One Parkway South, Greenville, SC 29615 – 1-888-622-2306

**Canada**

**Michelin North America (Canada), Inc.**

2500 Daniel Johnson, Suite 500, Laval, Quebec H7T 2P6 – 1-888-622-2306

© 2021 Michelin North America, Inc. All rights reserved.

© 2021 MNA(C). All rights reserved.

The Michelin Man is a registered trademark owned by Michelin North America, Inc. MICHELIN® tires and tubes are subject to a continuous development program. Michelin North America, Inc. reserves the right to change product specifications at any time without notice or obligations.

MWL58000 (03/21)